

Notice of Allowability

Application No.

09/898,849

Examiner

Minh Dinh

Applicant(s)

ANDERSON ET AL.

Art Unit

2132

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to examiner's amendment made on 10/11/05.
2. ☒ The allowed claim(s) is/are 1-35.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph Lutz on 10/11/2005. The application has been amended as follows:

- Claim 1: replace "an administrator" in line 7 with "an upstream router administrator"
- Claim 5: replace "an administrator" in lines 7-8 with "an upstream router administrator"
- Claim 11: replace "an administrator" in lines 8-9 with "an upstream router administrator"
- Claim 15: replace "an administrator" in line 9 with "an upstream router administrator"
- Claim 19: replace "an administrator" in lines 7-8 with "an upstream router administrator"
- Claim 26: replace "an administrator" in lines 10-11 with "an upstream router administrator"
- Claim 33: replace "an administrator" in lines 15-16 with "a router administrator"

Art Unit: 2132

2. The following is an examiner's statement of reasons for allowance. The present invention is directed to a method and system for stopping distributed denial of service attack in which a downstream device (e.g., a host or a router), after detecting a denial of service attack, sends a filter to an upstream router requesting the upstream router to block the attack traffic as specified in the filter. More specifically, independent claims 1, 5, 11, 15, 19, 26 and 33 identify the uniquely distinct features: an expiration time for the filter is configured by an upstream router administrator. The closest prior arts, Smith et al. ("A Protocol and Simulation for Distributed Communicating Firewalls") and Mahajan et al ("Controlling High Bandwidth Aggregates in the Network"), also disclose a method for stopping denial of service attack using filters at upstream routers. However, both Smith and Mahajan teach that the expiration time for the filter is determined by the administrator of the downstream device. The prior art, taken either singly or in combination, fails to anticipate or fairly suggest the limitations of applicant's independent claim, in such a manner that a rejection under 35 U.S.C 102 or 103 would be proper. The claimed invention is therefore considered to be in condition for allowance as being novel and nonobvious over prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2132

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Minh Dinh whose telephone number is 571-272-3802.

The examiner can normally be reached on Mon-Fri: 10:00am-6:30pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MD

Minh Dinh
Examiner
Art Unit 2132

MD
10/13/05


GILBERTO BARRON JR.
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100